CONTENTS OF VOLUME 53

Aasen IM, Møretrø T, Katla T, Axelsson L, Storrø I: Influence of complex nutrients, temperature and pH on bacteriocin production by *Lactobacillus sakei* CCUG 42687 159

Agrawal R, Joseph R: Bioconversion of alpha pinene to verbenone by resting cells of *Aspergillus niger* 335

Ansorge MB, Kula MR: Investigating expression systems for the stable large-scale production of recombinant L-leucine-dehydrogenase from *Bacillus cereus* in *Escherichia coli* 668

Aoyama M, Yasuda M, Nakachi K, Kobamoto N, Oku H, Kato F: Soybean-milk-coagulating activity of *Bacillus pumilus* derives from a serine proteinase 390

Arzumanov TE, Shishkanova NV, Finogenova TV: Biosynthesis of citric acid by *Yarrowia lipolytica* repeat-batch culture on ethanol 525

Babu KR, Swaminathan S, Marten S, Khanna N, Rinas U: Production of interferon-α in high cell density cultures of recombinant *Escherichia coli* and its single step purification from refolded inclusion body proteins 655

Baldwin BR, Mesarch MB, Nies L: Broad substrate specificity of naphthalene- and biphenyl-utilizing bacteria 748

Banat IM, Makkar RS, Cameotra SS: Potential commercial applications of microbial surfactants 495

Belo I, Pinheiro R, Mota M: Response of the thermophile *Thermus* sp. RQ-1 to hyperbaric air in batch and fed-batch cultivation 517

Boon N, Marlé C, Top EM, Verstraete W: Comparison of the spatial homogeneity of physico-chemical parameters and bacterial 16S rRNA genes in sediment samples from a dumping site for dredging sludge 742

Braun-Lüllemann A, Hüttermann A, Majcherczyk A: Screening of ectomycorrhizal fungi for degradation of polycyclic aromatic hydrocarbons 127

Brito N, Pérez MD, Perdomo G, González C, García-Lugo P, Siverio JM: A set of *Hansenula polymorpha* integrative vectors to construct *lacZ* fusions 23

Cary JW, Ehrlich KC, Wright M, Chang P-K, Bhatnagar D: Generation of *aflR* disruption mutants of *Aspergillus parasiticus* 680

Chandrakant P, Bisaria VS: Simultaneous bioconversion of glucose and xylose to ethanol by *Saccharomyces cerevisiae* in the presence of xylose isomerase 301

Chary VK, de la Fuente JL, Leitão AL, Liras P, Martín JF: Overexpression of the *lat* gene in *Nocardia lactamdurans* from strong heterologous promoters results in very high levels of lysine-6-aminotransferase and up to two-fold increase in cephamycin C production 282

Chen T-Y, Hsu C-T, Chang K-H, Ting C-Y, Whang-Peng J, Hui C-F, Hwang J: Development of DNA delivery system using *Pseudomonas* exotoxin A and a DNA binding region of human DNA topoisomerase I 558

Chernyavskaya OG, Shishkanova NV, Il'chenko AP, Finogenova TV: Synthesis of α-ketoglutaric acid by *Yarrowia lipolytica* yeast grown on ethanol 152

Choi J, Lee SY: Economic considerations in the production of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) by bacterial fermentation (Short contribution) 646

Choi JH, Jeong KJ, Kim SC, Lee SY: Efficient secretory production of alkaline phosphatase by high cell density culture of recombinant *Escherichia coli* using the *Bacillus* sp. endoxylanase signal sequence 640

Choi WJ, Choi CY, De Bont JAM, Weijers CAGM: Resolution of 1,2-epoxyhexane by *Rhodotorula glutinis* using a two-phase membrane bioreactor 7

Clarke JH, Davidson K, Rixon JE, Halstead JR, Fransen MP, Gilbert HJ, Hazlewood GP: A comparison of enzyme-aided bleaching of softwood paper pulp using combinations of xylanase, mannanase and α-galactosidase 661

Clemente T, Shah D, Tran M, Stark D, Padgette S, Dennis D, Brückener K, Steinbüchel A, Mitsky T: Sequence of PHA synthase gene from two strains of *Rhodospirillum rubrum* and in vivo substrate specificity of four PHA synthases across two heterologous expression systems 420

Costa C, Dijkema C, Friedrich M, García-Encina P, Fernández-Polanco F, Stams AJM: Denitrification with methane as electron donor in oxygen-limited bioreactors 754

Cruz R, Arias ME, Soliveri J: APHE-3, a spore-associated antibiotic of *Streptomyces griseocarneus* NCIMB 40447 (Short contribution) 480

Cruz R, Arias ME, Soliveri J: Nutritional requirements for the production of pyrazoloisoquinolinone antibiotics by *Streptomyces griseocarneus* NCIMB 40447 (Short contribution) 115

Cserjan-Puschmann M, Kramer W, Duerrschmid E, Striedner G, Bayer K: Metabolic approaches for the optimisation of recombinant fermentation processes 43

de Andrade Rodrigues MF, Valentin HE, Berger PA, Tran M, Asrar J, Gruys KJ, Steinbüchel A: Polyhydroxyalkanoate accumulation in *Burkholderia* sp.: a molecular approach to elucidate the genes involved in the formation of two homopolymers consisting of short-chain-length 3-hydroxyalkanoic acids 453

De Boever P, Wouters R, Verschaeve L, Berckmans P, Schoeters G, Verstraete W: Protective effect of the bile salt hydrolase-active *Lactobacillus reuteri* against bile salt cytotoxicity 709

Duan K, Liu C-Q, Liu Y-J, Ren J, Dunn NW: Nucleotide sequence and thermostability of pND324, a 3.6-kb plasmid from *Lactococcus lactis* 36

Eilers A, Rüngeling E, Stündl UM, Gottschalk G: Metabolism of 2,4,6-trinitrotoluene by the white-rot fungus *Bjerkandera adusta* DSM 3375 depends on cytochrome *P*-450 75

Eliasson A, Boles E, Johansson B, Österberg M, Thevelein JM, Spencer-Martins I, Juhnke H, Hahn-Hägerdal B: Xylulose fermentation by mutant and wild-type strains of *Zygosaccharomyces* and *Saccharomyces cerevisiae* 376

Endo T, Koizumi S, Tabata K, Ozaki A: Large-scale production of CMP-NeuAc and sialylated oligosaccharides through bacterial coupling 257

Eriksson M, Dalhammar G, Borg-Karlson A-K: Biological degradation of selected hydrocarbons in an old PAH/creosote contaminated soil from a gas work site 619
Fábregas J, Domínguez A, Regueiro M, Maseda A, Otero A: Optimization of culture medium for the continuous cultivation of the microalga *Haematococcus pluvialis* 530
Faus I: Recent developments in the characterization and biotechnological production of sweet-tasting proteins 145
Fava F, Di Gioia D, Marchetti L: Role of the reactor configuration in the biological detoxification of a dump site-polychlorobiphenyl-contaminated soil in lab-scale slurry phase conditions 243
Füchtenbusch B, Wullbrandt D, Steinbüchel A: Production of polyhydroxyalkanoic acids by *Ralstonia eutropha* and *Pseudomonas oleovorans* from an oil remaining from biotechnological rhamnose production 167
Fukuda K, Kiyokawa Y, Yanagiuchi T, Wakai Y, Kitamoto K, Inoue Y, Kimura A: Purification and characterization of isoamyl acetate-hydrolyzing esterase encoded by the *IAH1* gene of *Saccharomyces cerevisiae* from a recombinant *Escherichia coli* 596
Gmeiner M, Kneifel W, Kulbe KD, Wouters R, De Boever P, Nollet L, Verstraete W: Influence of a synbiotic mixture consisting of *Lactobacillus acidophilus* 74-2 and a fructooligosaccharide preparation on the microbial ecology sustained in a simulation of the human intestinal microbial ecosystem (SHIME reactor) 219
Gomes I, Gomes J, Gomes DJ, Steiner W: Simultaneous production of high activities of thermostable endoglucanase and β-glucosidase by the wild thermophilic fungus *Thermoascus aurantiacus* 461
Gradišar H, Kern S, Friedrich J: Keratinase of *Doratomyces microsporus* 196
Guerrero SA, Lopez JA, Steinert P, Montemartini M, Kalisz HM, Colli W, Singh M, Alves MJM, Flohé L: His-tagged tryparedoxin peroxidase of *Trypanosoma cruzi* as a tool for drug screening 410
Hai T, Ahlers H, Gorenflo V, Steinbüchel A: Axenic cultivation of anoxygenic phototrophic bacteria, cyanobacteria, and microalgae in a new closed tubular glass photobioreactor 383
Hampp NA: Bacteriorhodopsin: mutating a biomaterial into an optoelectronic material 633
Himmi EH, Bories A, Boussaid A, Hassani L: Propionic acid fermentation of glycerol and glucose by *Propionibacterium acidipropionici* and *Propionibacterium freudenreichii* ssp. *shermanii* 435
Ishikawa H, Yamanaka H, Kawamoto T, Tanaka A: Inhibition of thermolysin by 3-trimethylsilylalanine derivatives (Short contribution) 19
Jeppsson H, Holmgren K, Hahn-Hägerdal B: Oxygen-dependent xylitol metabolism in *Pichia stipitis* 92
Jork A, Thürmer F, Cramer H, Zimmermann G, Gessner P, Hämel K, Hofmann G, Kuttler B, Hahn H.-J, Josimovic-Alasevic O, Fritsch K.-G, Zimmermann U: Biocompatible alginate from freshly collected *Laminaria pallida* for implantation 224
Kajiwara S, Aritomi T, Suga K, Ohtaguchi K, Kobayashi O: Overexpression of the *OLE1* gene enhances ethanol fermentation by *Saccharomyces cerevisiae* 568
Kalyani A, Prapulla SG, Karanth NG: Study on the production of 6-pentyl-α-pyrone using two methods of fermentation (Short contribution) 610
Kang HA, Choi E-S, Hong W-K, Kim J-Y, Ko S-M, Sohn J-H, Rhee SK: Proteolytic stability of recombinant human serum albumin secreted in the yeast *Saccharomyces cerevisiae* 575
Kim H, Ju H-S, Kim J: Characterization of an extracellular poly(3-hydroxy-5-phenylvalerate) depolymerase from *Xanthomonas* sp. JS02 323
Klich MA, Mullaney EJ, Daly CB, Cary JW: Molecular and physiological aspects of aflatoxin and sterigmatocystin biosynthesis by *Aspergillus tamarii* and *A. ochraceoroseus* 605
Kohl A, Billecocq A, Préhaud C, Yadani F-Z, Bouloy M: Transient gene expression in mammalian and mosquito cells using a recombinant Semliki Forest virus expressing T7 RNA polymerase 51
Koizumi S, Yonetani Y, Maruyama A, Teshiba S: Production of riboflavin by metabolically engineered *Corynebacterium ammoniagenes* 674
Kraemer-Schafhalter A, Domenek S, Boehling H, Feichtenhofer S, Griengl H, Voss H: Optimization of the hydroxylation of 2-cyclopentylbenzoxazole with *Cunninghamella blakesleeana* DSMZ 1906 266
Kwon H-J, Kim S-U: Molecular basis for enhanced biosynthesis of clavulanic acid by a redox-cycling agent, phenazine methosulfate, in *Streptomyces clavuligerus* 57
Lang C, Dörnenburg H: Perspectives in the biological function and the technological application of polygalacturonases 366
Laplace JM, Hartke A, Giard JC, Auffray Y: Cloning, characterization and expression of an *Enterococcus faecalis* gene responsive to heavy metals 685
Lim H.-K, Jung K.-H, Park D.-H, Chung S.-I: Production characteristics of interferon-α using an L-arabinose promoter system in a high-cell-density culture 201
Liu S-J, Steinbüchel A: Exploitation of butyrate kinase and phosphotransbutyrylase from *Clostridium acetobutylicum* for the *in vitro* biosynthesis of poly(hydroxyalkanoic acid) 545
Marincs F: On-line monitoring of growth of *Escherichia coli* in batch cultures by bioluminescence 536
Matsusaki H, Abe H, Taguchi K, Fukui T, Doi Y: Biosynthesis of poly(3-hydroxybutyrate-*co*-3-hydroxyalkanoates) by recombinant bacteria expressing the PHA synthase gene *phaC1* from *Pseudomonas* sp. 61-3 401
Matthews PD, Wurtzel ET: Metabolic engineering of carotenoid accumulation in *Escherichia coli* by modulation of the isoprenoid precursor pool with expression of deoxyxylulose phosphate synthase 396
McIntyre M, Berry DR, McNeil B: Role of proteases in autolysis of *Penicillium chrysogenum* chemostat cultures in response to nutrient depletion 235
Mesa MM, Macías M, Cantero D: A simplification of the protein assay method of Ramsay et al. for the quantification of *Thiobacillus ferrooxidans* in the presence of ferric precipitates (Short contribution) 722
Micheli L, Uccelletti D, Palleschi C, Crescenzi V: Isolation and characterisation of a ropy *Lactobacillus* strain producing the exopolysaccharide kefiran 69
Minekus M, Smeets-Peeters M, Bernalier A, Marol-Bonnin S, Havenaar R, Marteau P, Alric M, Fonty G, Huis in't Veld JHJ: A computer-controlled system to simulate conditions of the large intestine with peristaltic mixing, water absorption and absorption of fermentation products 108
Moody JD, Heinze TM, Hansen EB Jr, Cerniglia CE: Metabolism of the ethanolamine-type antihistamine diphenhydramine (Benadryl)™ by the fungus *Cunninghamella elegans* 310
Mooibroek H, Cornish K: Alternative sources of natural rubber 355
Morgan JA, Barney CS, Penn AH, Shanks JV: Effects of buffered media upon growth and alkaloid production of *Catharanthus roseus* hairy roots 262
Mukherjee J, Lindemann C, Scheper T: Fluorescence monitoring during cultivation of *Enterbacter aerogenes* at different oxygen levels (Erratum) 627
Mukherjee J, Majumdar S, Scheper T: Studies on nutritional and oxygen requirements for production of L-asparaginase by *Enterobacter aerogenes* 180
Nemati M, Lowenadler J, Harrison STL: Particle size effects in bioleaching of pyrite by acidophilic thermophile *Sulfolobus metallicus* (*BC*) 173
Oddou J, Stentelaire C, Lesage-Meessen L, Asther M, Colonna Ceccaldi B: Improvement of ferulic acid bioconversion into vanillin by use of high-density cultures of *Pycnoporus cinnabarinus* 1
Ohdan K, Kuriki T, Takata H, Okada S: Cloning of the cyclodextrin glucanotransferase gene from alkalophilic *Bacillus* sp.

A2-5a and analysis of the raw starch-binding domain (Short contribution) 430
O'Neill C, Lopez A, Esteves S, Hawkes FR, Hawkes DL, Wilcox S: Azo-dye degradation in an anaerobic-aerobic treatment system operating on simulated textile effluent (Short contribution) 249
O'Shea DG, Walsh PK: The effect of culture conditions on the morphology of the dimorphic yeast *Kluyveromyces marxianus* var. *marxianus* NRRLy2415: a study incorporating image analysis 316
Pasco N, Baronian K, Jeffries C, Hay J: Biochemical mediator demand – a novel rapid alternative for measuring biochemical oxygen demand 613
Pavlostathis SG, Misra G: Biotransformation of selected monoterpenes under nitrate-reducing conditions 63
Pedersen H, Beyer M, Nielsen J: Glucoamylase production in batch, chemostat and fed-batch cultivations by an industrial strain of *Aspergillus niger* 272
Pedersen H, Nielsen J: The influence of nitrogen sources on the α-amylase productivity of *Aspergillus oryzae* in continuous cultures 278
Polakowski T, Bastl R, Stahl U, Lang C: Enhanced sterol-acyl transferase activity promotes sterol accumulation in *Saccharomyces cerevisiae* 30
Politz O, Krah M, Thomsen KK, Borriss R: A highly thermostable endo-(1,4)-β-mannanase from the marine bacterium *Rhodothermus marinus* 715
Pratap J, Rajamohan G, Dikshit KL: Characteristics of glycosylated streptokinase secreted from *Pichia pastoris*: enhanced resistance of SK to proteolysis by glycosylation 469
Ramesha N, Karanth NGK: Isomerization of non-insecticidal α-hexachlorocyclo-hexane (HCH) to insecticidal γ-HCH by *Pseudomonas* strain Ptm$^+$ 120
Reiser SE, Mitsky TA, Gruys KJ: Characterization and cloning of an (*R*)-specific *trans*-2,3-enoylacyl-CoA hydratase from *Rhodospirillum rubrum* and use of this enzyme for PHA production in *Escherichia coli* 209
Ressler BP, Kneifel H, Winter J: Bioavailability of polycyclic aromatic hydrocarbons and formation of humic acid-like residues during bacterial PAH degradation 85
Riondet C, Cachon R, Waché Y, Sunyol i Bert E, Gbaguidi P, Alcaraz G, Diviès C: Combined action of redox potential and pH on heat resistance and growth recovery of sublethally heat-damaged *Escherichia coli* (Short contribution) 476
Ripp S, Nivens DE, Werner C, Sayler GS: Bioluminescent most-probable-number monitoring of a genetically engineered bacterium during a long-term contained field release 736
Rose K, Liebergesell M, Steinbüchel A: Molecular analysis of the *Aureobasidium pullulans ura3* gene encoding orotidine-5′-phosphate decarboxylase and isolation of mutants defective in this gene 296
Sağ Y, Kaya A, Kutsal T: Lead, copper and zinc biosorption from bicomponent systems modelled by empirical Freundlich isotherm 338
Samanta SK, Chakraborti AK, Jain RK: Degradation of phenanthrene by different bacteria: evidence for novel transformation sequences involving the formation of 1-naphthol 98
Sengupta S, Jana ML, Sengupta D, Naskar AK: A note on the estimation of microbial glycosidase activities by dinitrosalicylic acid reagent (Short contribution) 732
Shakoori AR, Makhdoom M, Haq RU: Hexavalent chromium reduction by a dichromate-resistant gram-positive bacterium isolated from effluents of tanneries 348
Solaiman DKY, Ashby RD, Foglia TA: Rapid and specific identification of medium-chain-length polyhydroxyalkanoate synthase gene by polymerase chain reaction 690
Srinivas ND, Barhate RS, Raghavarao KSMS, Todd P: Acoustic demixing of aqueous two-phase systems (Short contribution) 650
Stahmann K-P, Revuelta JL, Seulberger H: Three biotechnical processes using *Ashbya gossypii*, *Candida famata*, or *Bacillus subtilis* compete with chemical riboflavin production 509
Sukhodolskaya GV, Nikolayeva VM, Donova MV, Gulevskaya SA, Baskunov BP, Koshcheyenko KA, Turchin KF: Conversion of 1-benzoylindole by *Aspergillus* strains 695
Taherzadeh MJ, Gustafsson L, Niklasson C, Lidén G: Physiological effects of 5-hydroxymethylfurfural on *Saccharomyces cerevisiae* 701
Tarlera S, Stams AJM: Degradation of proteins and amino acids by *Caloramator proteoclasticus* in pure culture and in coculture with *Methanobacterium thermoformicicum* Z245 133
Tinschert A, Tschech A, Heinzmann K, Kiener A: Novel regioselective hydroxylations of pyridine carboxylic acids at position C2 and pyrazine carboxylic acids at position C3 185
Torres R, Ramón F, de la Mata I, Acebal C, Castillón MP: Enhanced production of penicillin V acylase from *Streptomyces lavendulae* 81
Trček J, Raspor P, Teuber M: Molecular identification of *Acetobacter* isolates from submerged vinegar production, sequence analysis of plasmid pJK2-1 and application in the development of a cloning vector 289
Ullah MA, Bedford CT, Evans CS: Reactions of pentachlorophenol with laccase from *Coriolus versicolor* 230
Valcarce G, Florin-Christensen J, Nudel C: Isolation of a Δ^7-cholesterol desaturase from *Tetrahymena thermophila* 591
Vanderberg LA, Krieger-Grumbine R, Taylor MN: Evidence for diverse oxidations in the catabolism of toluene by *Rhodococcus rhodochrous* strain OFS 447
Vargas C, Song B, Camps M, Häggblom MM: Anaerobic degradation of fluorinated aromatic compounds 342
Vieira HS, Takahashi JA, Boaventura MAD: Biotransformation of methyl *ent*-17-hydroxy-16β-kauran-19-oate by *Rhizopus stolonifer* 601
Visser H, Vreugdenhil S, de Bont JAM, Verdoes JC: Cloning and characterization of an epoxide hydrolase-encoding gene from *Rhodotorula glutinis* 415
Wahl P, Walser-Volken P, Laumen K, Kittelmann M, Ghisalba O: Microbial production, purification, and characterization of (*S*)-specific *N*-acetyl-2-amino-1-phenyl-4-pentene amidohydrolase from *Rhodococcus globerulus* K1/1 12
Wu W-T, Wang P-M, Chang Y-Y, Huang T-K, Chien Y-H: Suspended rice particles for cultivation of *Monascus purpureus* in a tower-type bioreactor (Short contribution) 542
Wunderwald U, Kreisel G, Braun M, Schulz M, Jäger C, Hofrichter M: Formation and degradation of a synthetic humic acid derived from 3-fluorocatechol 441
Yanase H, Sakamoto A, Okamoto K, Kita K, Sato Y: Degradation of the metal-cyano complex tetracyanonickelate (II) by *Fusarium oxysporum* N-10 328
Yu J, Chang P-K, Bhatnagar D, Cleveland TE: Genes encoding cytochrome P450 and monooxygenase enzymes define one end of the aflatoxin pathway gene cluster in *Aspergillus parasiticus* 583
Yu Z, Smith GB: Dechlorination of polychlorinated methanes by a sequential methanogenic-denitrifying bioreactor system 484
Zayed G, Winter J: Inhibition of methane production from whey by heavy metals – protective effect of sulfide (Short contribution) 726
Ziegenhagen D, Hofrichter M: A simple and rapid method to gain high amounts of manganese peroxidase with immobilized mycelium of the agaric white-rot fungus *Clitocybula dusenii* 553